
Contains living organisms. Store in cool dry place out of direct sunlight 45°-77° F. **Do not freeze**

Caution: SabrEx may be used either on untreated seed, or seed that has been treated with a fungicide or insecticide. Wear appropriate protective gear, avoid skin contact or breathing of dust, and follow the caution statements of the other treatments if the seed has been pretreated. Individuals allergic to molds and or fungi should take precautions to avoid contact with the eyes or skin. To minimize risk of allergic exposure, individuals should wear standard protective clothing and equipment including gloves, safety glasses, and an NIOSH approved respirator. In case of allergic contact with eyes or skin, immediately flush the exposed area with water. Seek medical attention if irritation develops or persists.

Warranty: Advanced Biological Marketing guarantees the cultures in this package will inoculate the quantity and kind of seed specified on this package when: (1) Product is used prior to expiration date. (2) Product is stored properly. (3) Product is used under favorable soil and weather conditions. (4) Product is used in accordance with directions for use noted on this package. ADVANCED BIOLOGICAL MARKETING MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS, WARRANTY OF MERCHANTABILITY, OR WARRANTY FOR A PARTICULAR PURPOSE, OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. ADVANCED BIOLOGICAL MARKETING'S LIABILITY IS HEREBY EXPRESSLY LIMITED TO THE PURCHASE PRICE OF PRODUCT ONLY. IN NO EVENT SHALL ADVANCED BIOLOGICAL MARKETING OR ANY SELLER OF THIS PRODUCT BE LIABLE FOR CONSEQUENTIAL, SPECIAL, OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

Sabrex for Cotton LQ is intended to utilize Trichoderma's ability to improve nutrient availability to plants.







Application Rate:

This container treats 200 (50lb. bags) of cotton seed. Rate on seed 0.16 fl/oz per 50lb. bag or 0.16 fl/oz per acre in-furrow.

Directions for Use:

- Add first to the mix tank the desired quantity of non-chlorinated water and liquid seed treatment products if used.
- 2. START TANK AGITATION AND MAINTAIN AGITATION AT ALL TIMES.
- Measure appropriate quantity of SabrEx LQ and add slowly to the tank mix.
- 4. Be sure the liquid completely disperses into the slurry.
- 5. Apply to cotton seed.

Compatibility:

Sabrex for Cotton LQ is compatible with many common seed fungicides and insecticides. For current compatibilities, contact your ABM representative or call **877-617-2461**.

Tank Mix Restriction:

SabrEx Cotton LQ can be left in the tank mix for a maximum of 4 hours; longer may result in loss of viability. IF THIS TIME LIMIT IS EXCEEDED, DISCARD THE MATERIAL OR ADD MORE SabrEx.

CONTAINS NON-PLANT FOOD INGREDIENTS Guaranteed Analysis:

Active Ingredients:

1.0% - (Total microbial count $1x10^9$ cfu/ml) Trichoderma harzianum 5×10^8 ,Trichoderma virens 2.5×10^8 and Trichoderma atroviride 2.5×10^8

Inert Ingredients: Water 79.0%, proprietary liquid 20.0%